
Temperature −60 gate=40 laser gate=240
ID 101
Entries 15000
Mean 255.2
RMS 8.614
MaxBin


Temperature −50 gate=40 laser gate=240
ID 102
Entries 15000
Mean 256.4
RMS 9.088
MaxBin


Temperature −40 gate=40 laser gate=240
ID 103
Entries 15000
Mean 255.9
RMS 8.685
MaxBin


Temperature −30 gate=40 laser gate=240
ID 104
Entries 15000
Mean 255.1
RMS 8.389
MaxBin


Temperature −20 gate=40 laser gate=240
ID 105
Entries 15000
Mean 252.1
RMS 9.927


Temperature −10 gate=40 laser gate=240
ID 106
Entries 15000
Mean 252.1
RMS 9.834
MaxBin


Temperature 0 gate=40 laser gate=240
ID 107
Entries 15000
Mean 251.8
RMS 9.359
MaxBin


Temperature 10 gate=40 laser gate=240
ID 108
Entries 15000
Mean 251.5
RMS 9.174
MaxBin


Temperature 20 gate=40 laser gate=240
ID 109
Entries 15000
Mean 252.7
RMS 9.614
MaxBin


Temperature 30 gate=40 laser gate=240
ID 110
Entries 15000
Mean 253.9
RMS 9.064
MaxBin


Temperature 40 gate=40 laser gate=240
ID 111
Entries 15000
Mean 255.5
RMS 8.553
MaxBin


Temperature 50 gate=40 laser gate=240
ID 112
Entries 15000
Mean 254.4
RMS 8.707
MaxBin