
Temperature −60 gate=40 laser gate=240
ID 101
Entries 15000
Mean 251.0
RMS 10.93
MaxBin


Temperature −50 gate=40 laser gate=240
ID 102
Entries 15000
Mean 250.7
RMS 10.96
MaxBin


Temperature −40 gate=40 laser gate=240
ID 103
Entries 15000
Mean 250.5
RMS 10.46
MaxBin


Temperature −30 gate=40 laser gate=240
ID 104
Entries 15000
Mean 249.7
RMS 10.10
MaxBin


Temperature −20 gate=40 laser gate=240
ID 105
Entries 15000
Mean 251.0
RMS 10.23
MaxBin


Temperature −10 gate=40 laser gate=240
ID 106
Entries 15000
Mean 249.9
RMS 9.582
MaxBin


Temperature 0 gate=40 laser gate=240
ID 107
Entries 15000
Mean 251.4
RMS 11.08
MaxBin


Temperature 10 gate=40 laser gate=240
ID 108
Entries 15000
Mean 249.2
RMS 9.065
MaxBin


Temperature 20 gate=40 laser gate=240
ID 109
Entries 15000
Mean 250.9
RMS 10.46
MaxBin


Temperature 30 gate=40 laser gate=240
ID 110
Entries 15000
Mean 251.7
RMS 11.15
MaxBin


Temperature 40 gate=40 laser gate=240
ID 111
Entries 15000
Mean 250.0
RMS 9.947
MaxBin


Temperature 50 gate=40 laser gate=240
ID 112
Entries 15000
Mean 252.1
RMS 10.66
MaxBin